

**PRISM:**  
**Publishing Requirements for Industry Standard Metadata**

PRISM Specification: Modular: Version 1.3

**The PRISM Inline Markup Namespace**

Final DRAFT

2005 10 01

## Copyright and Legal Notices

Copyright (c) International Digital Enterprise Alliance, Inc. [IDEAlliance] (2001, 2001, 2003, 2004, 2005).

All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to IDEAlliance, except as needed for the purpose of developing IDEAlliance specifications, in which case the procedures for copyrights defined in the IDEAlliance Intellectual Property Policy document must be followed, or as required to translate it into languages other than English. The limited permissions granted above are perpetual and will not be revoked by IDEAlliance or its successors or assigns.

NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, LEGALITY, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THIS DOCUMENT OR IN ANY SPECIFICATION OR OTHER PRODUCT OR SERVICE PRODUCED OR SPONSORED BY IDEALLIANCE. THIS DOCUMENT AND THE INFORMATION CONTAINED HEREIN AND INCLUDED IN ANY SPECIFICATION OR OTHER PRODUCT OR SERVICE OF IDEALLIANCE IS PROVIDED ON AN "AS IS" BASIS. IDEALLIANCE DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, ANY ACTUAL OR ASSERTED WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE.

NEITHER IDEALLIANCE NOR ITS CONTRIBUTORS SHALL BE HELD LIABLE FOR ANY IMPROPER OR INCORRECT USE OF INFORMATION. NEITHER IDEALLIANCE NOR ITS CONTRIBUTORS ASSUME ANY RESPONSIBILITY FOR ANYONE'S USE OF INFORMATION PROVIDED BY IDEALLIANCE. IN NO EVENT SHALL IDEALLIANCE OR ITS CONTRIBUTORS BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES OF ANY KIND WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT, PRODUCT LIABILITY OR OTHERWISE.

IDEAlliance takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available. IDEAlliance does not represent that it has made any effort to identify any such rights. Information on IDEAlliance's procedures with respect to rights in IDEAlliance specifications can be found at the IDEAlliance website. Copies of claims of rights made available for publication, assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification, can be obtained from the President of IDEAlliance.

IDEAlliance requests interested parties to disclose any copyrights, trademarks, service marks, patents, patent applications, or other proprietary or intellectual property rights which may cover technology that may be required to implement this specification. Please address the information to the President of IDEAlliance.

## Table of Contents

|       |   |    |
|-------|---|----|
| 1     | Status .....  | 1  |
| 1.1   | Document Status.....  | 1  |
| 1.2   | Document Location .....                                     | 1  |
| 1.3   | Version History .....                                       | 1  |
| 2     | PRISM Documentation Structure .....                         | 3  |
| 2.1   | Normative and Non-normative Sections .....                  | 3  |
| 2.1.1 | Requirement Wording Note .....                              | 3  |
| 2.2   | The PRISM Documentation Package .....                       | 3  |
| 2.2.1 | Additional PRISM Documentation .....                        | 4  |
| 2.2.2 | Access to PRISM Documentation.....                          | 4  |
| 3     | Introduction.....   | 5  |
| 3.1   | Purpose and Scope.....                                      | 5  |
| 4     | Element Definitions: The PRISM Inline Markup Namespace..... | 7  |
| 4.1   | PRISM Inline Markup Namespace .....                         | 7  |
| 4.1.1 | pim:event .....   | 8  |
| 4.1.2 | pim:industry.....   | 8  |
| 4.1.3 | pim:location.....   | 8  |
| 4.1.4 | pim:objectTitle.....  | 9  |
| 4.1.5 | pim:organization.....                                       | 9  |
| 4.1.6 | pim:person .....  | 9  |
| 4.1.7 | pim:quote .....   | 10 |

## 1 Status

### 1.1 Document Status

The status of this document is:

|   |                             |
|---|-----------------------------|
| ✓ | Draft                       |
| ✓ | Released for Public Comment |
| ✓ | Released                    |

### 1.2 Document Location

The location of this document is:

[http://www.prismstandard.org/specifications/1.3/PRISM\\_inline\\_markup\\_namespace\\_1.3.pdf](http://www.prismstandard.org/specifications/1.3/PRISM_inline_markup_namespace_1.3.pdf)

### 1.3 Version History

| <b>Version Number</b> | <b>Release Date</b> | <b>Editor</b> | <b>Description</b>                            |
|-----------------------|---------------------|---------------|---|
| 1.2                   | 1/26/05             | McConnell     | Converted from unmodularized PRISM spec v 1.2 |
| 1.3A                  | 6/17/05             | Kennedy       | Clarify element defs and examples             |
| 1.3B                  | 7/13/05             | Kennedy       | Resolve group comments                        |
| 1.3 Final             | 10/01/05            | Kennedy       | Resolve industry comments                     |



## 2 PRISM Documentation Structure

As of this release, PRISM is described in a set of formal, modularized documents that, taken together, represent “the PRISM Specification.” Together these documents comprise the PRISM Documentation Package.

The initial release of the modularized PRISM Documentation Package, is the equivalent of the single document PRISM 1.2 Specification that was approved in December 2004. Moving forward, the monolithic PRISM Specification will no longer be maintained. All revisions will be made to individual documents in the PRISM Documentation Package, with each being versioned separately. Over time, new documents may also be added to the documentation set that makes up the PRISM Specification.

### 2.1 Normative and Non-normative Sections

Documents in the PRISM Documentation Package may contain both normative and non-normative material; normative material describes element names, attributes, formats, and the contents of elements that is required in order for content or systems to comply with the PRISM Specification. Non-normative material explains, expands on, or clarifies the normative material, but it does not represent requirements for compliance. Normative material in the PRISM Documentation Package is explicitly identified as such; any material not identified as normative can be assumed to be non-normative.

#### 2.1.1 Requirement Wording Note

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC-2119]. The PRISM Specification also uses the normative term, “STRONGLY ENCOURAGES,” which should be understood as a requirement equivalent to MUST in all but the most extraordinary circumstances.

Capitalization is significant; lower-case uses of the key words are intended to be interpreted in their normal, informal, English language way.

### 2.2 The PRISM Documentation Package

The PRISM Documentation Package consists of:

| <b><i>Document</i></b>  | <b><i>Description</i></b>  |
|---|--|
| <a href="#">PRISM Introduction</a> [PRISMINT]                             | Overview, background, purpose and scope of PRISM; examples; contains no normative material.                    |
| <a href="#">PRISM Compliance</a> [PRISMCOMP]                              | Describes two profiles of PRISM compliance for content and systems; includes normative material.               |
| <a href="#">The PRISM Namespace</a> [PRISMPRISMNS]                        | Describes the elements contained in the PRISM namespace; includes normative material.                          |
| <a href="#">The PRISM Subset of the Dublin Core Namespace</a> [PRISMDCNS] | Describes the elements from the Dublin Core namespace that are included in PRISM; includes normative material. |
| <a href="#">The PRISM Rights Language Namespace</a> [PRISMRLNS]           | Describes the elements contained in the PRISM Rights Language Namespace; includes normative material.          |
| <a href="#">The PRISM Inline Markup Namespace</a> [PRISMIMNS]             | Describes the elements contained in the PRISM Inline Markup Namespace; includes normative material.            |
| <a href="#">The PRISM Controlled Vocabulary Namespace</a> [PRISMCVNS]     | Describes the elements contained in the PRISM Controlled Vocabulary Namespace; includes normative material.    |
| <a href="#">The PRISM Aggregator Message Namespace</a> [PRISMAMNS]        | Describes the elements contained in the PRISM Aggregator Message Namespace; includes normative material.       |

Table 1.0: PRISM Documentation Package

### **2.2.1 Additional PRISM Documentation**

The PRISM Aggregator Message (PAM), a DTD-based application of PRISM, adds a small namespace of its own, formally described in [PRISMAMNS]. The structure and use of PAM are described separately in [Guide to the PRISM Aggregator Document Type Definition \(DTD\) V. 1.1. \[PAMGUIDE\]](#)

### **2.2.2 Access to PRISM Documentation**

The PRISM Documentation Package, the PAM Guide (see above), the PAM DTD, and a range of other information concerning PRISM are all publicly and freely available on the PRISM website, [www.prismstandard.org](http://www.prismstandard.org).

## 3 Introduction

### 3.1 Purpose and Scope

The purpose of this document is to describe the basic metadata elements that the PRISM Working Group has defined and included in the PRISM Inline Markup namespace. All of section 4 of this document is normative.

All the element definitions appear in a uniform format. Each element definition begins with two fields – the Name and the Identifier of the element. The Name is a human-readable string that can be translated into different languages. Also, note that PRISM does NOT require that users be presented with the same labels. The Identifier is a protocol element. It is an XML element type and MUST be given as shown, modulo the normal allowance for variations in the namespace prefix used.

**Note:** PRISM Inline Markup is XML markup. It does not follow the rules of RDF/XML, even for profile 2 PRISM Compliance (that documents encoding content using the PRISM Profile of RDF). Likewise, PRISM Inline Markup is never expressed using XMP [XMP] markup.



## 4 Element Definitions: The PRISM Inline Markup Namespace

All of the content models used in this section describing the PRISM inline Markup Namespace follow a model we will call %content.mix; This model is a mix of elements for representing content, such as #PCDATA, <p>, <bold>, <quote>, etc. The details of the parameter entity will depend on the context in which the PRISM namespace is being used.

### 4.1 PRISM Inline Markup Namespace

Metadata is typically considered as out-of-line information. Fields such as Author, Title, and Subject are stereotypical examples of information that is descriptive of the whole of a resource and is frequently held separately from it. However, the publisher members of the PRISM Working Group consistently identified a need for inline markup of organizations, locations, product names, personal names, quotations, etc. Therefore, the PRISM Specification defines a namespace of XML elements and attributes for inline metadata. Such inline metadata was needed for a number of applications and is made use of in the PRISM Aggregator Message [PAMGUIDE].

Developers of XML specifications for the publishing industry can use the following DTD fragment to incorporate PRISM's inline markup elements into their DTDs. The fragment assumes that the basic textual content markup is described in another parameter entity known as %content.mix;

```
<!-- href attribute contains an authority file reference -->
<!ENTITY % inlineAttrs " href CDATA #IMPLIED">
<!ELEMENT pim:event      (%content.mix; )>
<!ELEMENT pim:industry   (%content.mix; )>
<!ELEMENT pim:location   (%content.mix; )>
<!ELEMENT pim:objectTitle (%content.mix; )>
<!ELEMENT pim:organization (%content.mix; )>
<!ELEMENT pim:person     (%content.mix; )>
<!ELEMENT pim:quote      (%content.mix; )>

<!ATTLIST pim:event      %inlineAttrs; >
<!ATTLIST pim:industry   %inlineAttrs; >
<!ATTLIST pim:person     %inlineAttrs; >
<!ATTLIST pim:location   %inlineAttrs; >
<!ATTLIST pim:objectTitle %inlineAttrs; >
<!ATTLIST pim:organization %inlineAttrs; >
<!ATTLIST pim:quote      speakerRef CDATA #IMPLIED
                           placeRef  CDATA #IMPLIED
                           occasion  CDATA #IMPLIED
                           date      CDATA #IMPLIED >
```

#### 4.1.1 pim:event

|            |  |
|------------|--|
| Name       | Event  |
| Identifier | pim:event  |
| Definition | The event element tags the name of an event, such as a meeting or historic occasion.   |
| Comment    |  |
| Attributes | href – (for an authority file reference for a controlled vocabulary)   |
| Model      | (%content.mix;)  |
| Example    | <p>&lt;p&gt;During the &lt;pim:event&gt;Toronto Film Festival&lt;/pim:event&gt;, films from 17 countries were shown.&lt;/p&gt;</p> <p>&lt;p&gt;Recent conflicts in the region include the &lt;pim:event&gt;Iran-Iraq War&lt;/pim:event&gt;, the &lt;pim:event&gt;First Gulf War&lt;/pim:event&gt;, and the &lt;pim:event&gt;Second Gulf War&lt;/pim:event&gt;.&lt;/p&gt;</p> |

#### 4.1.2 pim:industry

|            |   |
|------------|---|
| Name       | Industry  |
| Identifier | pim:industry  |
| Definition | The industry element tags mentions of industry sectors.   |
| Comment    |   |
| Attributes | href – (for an authority file reference for a controlled vocabulary)  |
| Model      | (%content.mix;)   |
| Example    | <p>&lt;p&gt;The &lt;pim:industry&gt;records industry&lt;/pim:industry&gt; attributes the recent slump in CD sales to rampant piracy of their intellectual content.&lt;/p&gt;</p> <p>&lt;p&gt;&lt;pim:industry&gt;Forestry&lt;/pim:industry&gt;, pardon the pun, is the new growth industry.&lt;/p&gt;</p> |

#### 4.1.3 pim:location

|            |  |
|------------|--|
| Name       | Location   |
| Identifier | pim:location   |
| Definition | The location element tags a geographical location in the text.   |
| Comment    | Even at the simplest level, the location element helps to distinguish, for example, the Scottish city “Paisley” from the fabric design, or the country “China” from the tableware.   |
| Attributes | href – (for an authority file reference for a controlled vocabulary)   |
| Model      | (%content.mix;)  |
| Example    | <p>&lt;p&gt;He spoke on the history of the&lt;pim:location&gt;Great Lakes basin&lt;/pim:location&gt; at the Royal Ontario Museum in &lt;pim:location&gt;Toronto&lt;/pim:location&gt;.&lt;/p&gt;</p> <p>&lt;p&gt;China patterns were selected before their honeymoon in &lt;pim:location href= "http://prismstandard.org/vocabs/ISO-3166/CN"&gt;China&lt;/pim:location&gt;.&lt;/p&gt;</p> |

#### 4.1.4 pim:objectTitle

|            |  |
|------------|--|
| Name       | Object title   |
| Identifier | pim:objectTitle  |
| Definition | The prism:objectTitle element tags the title of an object (such as a book, song, movie, etc.) in the text.     |
| Comment    |  |
| Attributes | href – (for an authority file reference to a controlled vocabulary)  |
| Model      | (%content.mix;)  |
| Example    | <p>Some analysts compared the recent events to the film<br><pim:objectTitle>Wag the Dog</pim:objectTitle>.</p> |

#### 4.1.5 pim:organization

|            |  |
|------------|--|
| Name       | Organization   |
| Identifier | pim:organization   |
| Definition | The organization element tags the name of any organization, such as a government, department, ministry, corporation, charity, private company, or club.                          |
| Comment    |  |
| Attributes | href – (for an authority file reference to a controlled vocabulary)  |
| Model      | (%content.mix;)  |
| Example    | <p><pim:organization<br>href="http://prismstandard.org/vocabs/NYSE:NT">Nortel<br>Networks</pim:organization> saw its stock fall in the face of the<br>Brazilian devaluation.</p> |

#### 4.1.6 pim:person

|            |  |
|------------|--|
| Name       | Person   |
| Identifier | pim:person   |
| Definition | The person element tags the name of a human individual (real or imaginary) in the text.  |
| Comment    |  |
| Attributes | href – (for an authority file reference to a controlled vocabulary)  |
| Model      | (%content.mix;)  |
| Example    | <p>Prime Minister <pim:person>Tony Blair</pim:person> will meet with the<br>other <pim:organization>EU</pim:organization> leaders to discuss<br>agricultural policy.</p><br><br><p>Catch-22 is <pim:person href="http://lc.gov/catdir/LC-NAF?<br>Heller,+Joseph">Joseph Heller</pim:person>'s best-known work.</p> |

#### 4.1.7 pim:quote

|            |  |
|------------|--|
| Name       | Quote  |
| Identifier | pim:quote  |
| Definition | Marks the words attributed to a specific person in the text.   |
| Comment    | Note that quotes may contain other quotes.   |
| Attributes | <p>speakerRef – authority file reference to speaker</p> <p>placeRef – authority file reference to place</p> <p>date – ISO date</p> <p>occasion – Textual description of the occasion</p>   |
| Model      | (%content.mix;)  |
| Example    | <pre>&lt;pim:quote speakerRef="USPres#JFK" placeRef="city/Berlin"   occasion="Address to West Berlin" xml:lang="de"&gt;Ich bin ein Berliner &lt;/pim:quote&gt;</pre> <p>(assuming an earlier xml:base has set the base attribute to "http://prismstandard.org/vocabs/").</p> |

## Bibliography for the PRISM 1.3 Documentation Package

### Normative References

[AAT] Getty Art and Architecture Thesaurus. <[http://shiva.pub.getty.edu/aat\\_browser/](http://shiva.pub.getty.edu/aat_browser/)>

[DCMI] Dublin Core Metadata Element Set, Version 1.1: Reference Description. <http://purl.org/dc/documents/rec-dces-19990702.htm>

[DCMES-XML] Expressing Simple Dublin Core in RDF/XML, Dave Becket, Eric Miller and Dan Brickley Editors. Recommendation 2002-07-31, <http://dublincore.org/documents/dcmes-xml/>

[DCMI-TERMS] Dublin Core Metadata Terms, 2005-01-10; .  
<http://dublincore.org/documents/2005/01/10/dcmi-terms/>

[IETF-MIMETYPES] Internet Assigned Numbers Authority (IANA); Internet Media Types. <http://www.isi.edu/in-notes/iana/assignments/media-types/media-types>

[IETF-XML-Media] M. Murata, S. St.Laurent, D. Kohn; XML Media Types; Jan. 2001.  
<http://www.ietf.org/rfc/rfc3023.txt>

[[IETF RFC 3066](http://www.ietf.org/rfc/rfc3066.txt)], Tags for the Identification of Languages ed. H. Alvestrand. 2001.  
<http://www.ietf.org/rfc/rfc3066.txt>.

[IPTC-NEWSML] International Press and Telecommunications Council, NewsML Specification & Documents;  
<http://www.iptc.org/site/NewsML/NewsMLSpec.htm>

[IPTC-NITF] International Press and Telecommunications Council, News Industry Text Format.  
<http://www.nitf.org/html/tech-nitf.html>

[ISO-639] ISO 639 - Codes for the representation of names of languages.  
<http://www.oasis-open.org/cover/iso639a.html>

[ISO-3166] ISO 3166 - Codes for the representation of names of countries and their subdivisions.  
<http://www.din.de/gremien/nas/nabd/iso3166ma/a3ptnorm.html>

[NAICS] North American Industry Classification System; 1997. <http://www.census.gov/epcd/www/naics.html>

[RFC-3066] H. Alvestrand; Tags for the Identification of Languages; January 2001.  
<http://www.ietf.org/rfc/rfc3066.txt>

[IETF-MediaTypes] N. Freed & N. Borenstein. November 1996, Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types. <http://www.ietf.org/rfc/rfc2046.txt>

[PRISMINT] PRISM Working Group, 2005, PRISM Introduction, v 1.3, [www.prismstandard.org](http://www.prismstandard.org)

[PRISMPRISMNS] PRISM Working Group, 2005, The PRISM Namespace v 1.3, [www.prismstandard.org](http://www.prismstandard.org)

[PRISMCOMP] PRISM Working Group, 2005, PRISM Compliance, v 1.3, [www.prismstandard.org](http://www.prismstandard.org)

[PRISMDCNS] PRISM Working Group, 2005, The PRISM Subset of the Dublin Core Namespace v 1.3, [www.prismstandard.org](http://www.prismstandard.org)

[PRISMRLNS] PRISM Working Group, 2005, The PRISM Rights Language Namespace v 1.3, [www.prismstandard.org](http://www.prismstandard.org)

[PRISMCVNS] PRISM Working Group, 2005, The PRISM Controlled Vocabulary Namespace v 1.3, [www.prismstandard.org](http://www.prismstandard.org)

[PRISMIMNS] PRISM Working Group, 2005, The PRISM Inline Markup Namespace v 1.3, [www.prismstandard.org](http://www.prismstandard.org)

[PRISMAMNS] PRISM Working Group, 2005, The PRISM Aggregator Message Namespace v 1.2, [www.prismstandard.org](http://www.prismstandard.org)

[PAMGUIDE] PRISM Working Group, 2004, Guide to the PRISM Aggregator Document Type Definition (DTD) V. 1.1, [www.prismstandard.org](http://www.prismstandard.org)

[RFC-2119] S. Bradner, Key words for use in RFCs to Indicate Requirement Level  
<http://www.ietf.org/rfc/rfc2119.txt>

[RFC-2396] Uniform Resource Identifiers (URI): Generic Syntax, Internet RFC 2396.  
<http://www.ietf.org/rfc/rfc2396.txt>

[TGN] Getty Thesaurus of Geographic Names. [http://shiva.pub.getty.edu/tgn\\_browser/](http://shiva.pub.getty.edu/tgn_browser/)

[W3C-DateTime] Misha Wolf, Charles Wicksteed; Date and Time Formats; W3C Note;  
<http://www.w3.org/TR/NOTE-datetime.html>

[W3C-RDF] Ora Lassila, Ralph R Swick, Resource Definition Framework (RDF) Model and Syntax Specification.  
<http://www.w3.org/TR/REC-rdf-syntax>

[W3C-RDFS] Dan Brickley, R.V. Guha (eds.), Resource Description Framework (RDF) Schema Specification 1.0, W3C Candidate Recommendation, 27 March 2000, <http://www.w3.org/TR/2000/CR-rdf-schema-20000327>

[W3C-XML] Tim Bray, Jean Paoli, C. M. Sperberg-McQueen (eds.), Extensible Markup Language (XML)  
<http://www.w3.org/TR/REC-xml>

[W3C-XML-BASE] Jonathan Marsh (ed.); XML Base; <http://www.w3.org/TR/xmlbase/>

[W3C-XML-NS] Tim Bray, Dave Hollander, Andrew Layman (eds.); Namespaces in XML.  
<http://www.w3.org/TR/REC-xml-names>

[XMP] XMP Specification, Adobe Systems.  
<http://partners.adobe.com/public/developer/en/xmp/sdk/xmpspecification.pdf>

## Non-Normative References

[DCMI-R] Relation Element Working Draft: Dublin Core Metadata Initiative; 1997-12-19.

[ICE] The Information and Content Exchange (ICE) Protocol. <http://www.w3.org/TR/NOTE-ice.html> ,  
<http://www.icestandard.org>, <http://www.icestandard.org/Spec/SPECICE-2.0.pdf>

[ISO-8601] ISO (International Organization for Standardization), ISO 8601:1988 (E) Data elements and interchange formats - Information interchange - Representation of dates and times, 1988.  
<http://www.iso.ch/cate/d15903.html>

[ISO-13250] ISO/IEC 13250 Topic Maps: Information Technology -- Document Description and Markup Languages.

[ODRL] Open Digital Rights Language, Version 1.0; Dec. 2001. <http://odrl.net>

[RDDL] ....

[RDF-EASY] RDF Made Easy, by John Cowan: <http://home.ccil.org/~cowan/XML/RDF-made-easy.html>

[RDF-FRIENDLY] Making Your XML RDF-Friendly by John Cowan and Bob DuCharme:  
<http://www.xml.com/pub/a/2002/10/30/rdf-friendly.html>

[RDF-MIME-TYPE] MIME Media Types, The Internet Assigned Numbers Authority (IANA). This document is <http://www.iana.org/assignments/media-types/> . The [registration for application/rdf+xml](http://www.w3.org/2001/sw/RDFCore/mediatype-registration) is archived at <http://www.w3.org/2001/sw/RDFCore/mediatype-registration> .

[RDF-PRIMER] RDF Primer, Frank Manola and Eric Miller, Editors, W3C Recommendation, 10 February 2004, <http://www.w3.org/TR/2004/REC-rdf-primer-20040210/> . [Latest version](http://www.w3.org/TR/rdf-primer/) available at <http://www.w3.org/TR/rdf-primer/> .

[RDF-SEMANTICS] [RDF Semantics](#), Patrick Hayes, Editor, W3C Recommendation, 10 February 2004, <http://www.w3.org/TR/2004/REC-rdf-mt-20040210/> . [Latest version](#) available at <http://www.w3.org/TR/rdf-mt/> .

[RDF-SYNTAX] [RDF/XML Syntax Specification \(Revised\)](#), Dave Beckett, Editor, W3C Recommendation, 10 February 2004, <http://www.w3.org/TR/2004/REC-rdf-syntax-grammar-20040210/> . [Latest version](#) available at <http://www.w3.org/TR/rdf-syntax-grammar/> .

[RDF-VOCABULARY] [RDF Vocabulary Description Language 1.0: RDF Schema](#), Dan Brickley and R. V. Guha, Editors, W3C Recommendation, 10 February 2004, <http://www.w3.org/TR/2004/REC-rdf-schema-20040210/> . [Latest version](#) available at <http://www.w3.org/TR/rdf-schema/> .

[TZ-LIB] [Time Zone Library](#); <ftp://elsie.nci.nih.gov/pub/>

[W3C-SMIL] [Synchronized Multimedia Integration Language \(SMIL\) 1.0 Specification \(SMIL\)](#) <http://www.w3.org/TR/Rec-SMIL>

[XrML] ContentGuard, Inc., [Extensible Rights Markup Language](#). <http://www.xrml.org/>

[XML-1.1] [Extensible Markup Language \(XML\) 1.1](#), John Cowan, Editor. W3C Candidate Recommendation 15 October 2002. This version is <http://www.w3.org/TR/2002/CR-xml11-20021015/>. The [latest version](#) is available at <http://www.w3.org/TR/xml11/>.

[XML-SCHEMA1] [XML Schema Part 1: Structures](#) W3C Recommendation, World Wide Web Consortium, 2 May 2001. This version is <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>. The [latest version](#) is available at <http://www.w3.org/TR/xmlschema-1/>.

[XML-SCHEMA2] [XML Schema Part 2: Datatypes](#), W3C Recommendation, World Wide Web Consortium, 2 May 2001. This version is <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>. The [latest version](#) is available at <http://www.w3.org/TR/xmlschema-2/>.